

---

## C2FL0357 CW

---



LumCAT: C2FL0357 CW	Luminaire:
Report No:	Voltage(V): 240.200
Test No:	Current(A): 0.058
LampCAT: :	Power (W): 6.600
Lamp flux(lm): -1.0	PF: 0.472
Number of Lamps: 1	Ballast type:
Length(mm): 0	Width(mm): 0
Phm Type: C	Height(mm): 0

---

## Photometric Results

---

Lumens(lm): 401.94  
Efficiency(%): 0.00%  
Lumens(lm)/Power(W): 60.90  
Central intensity(cd): 637.866  
Maximum intensity(cd): 2291.598  
Angle of maximum intensity: C=90.0  $\gamma$ =15.0  
Beam Angle(50%Imax): [H]Left=12.0 Right=11.0  
[V]Left=9.9 Right=7.8  
Field angle(10%Imax): [H]Left=22.4 Right=20.9  
[V]Left=21.2 Right=16.7  
IES Classification : TypeI  
Longitudinal Classification : VeryShort  
Cut Off Classification : FullCutoff  
Max Cd(At 90°Vert) : 0.522242  
Max Cd(80 to 90°Vert) : 1.148932  
Street Side UpWard Lumens: - -of Lamp 0.00%of Luminaire  
Street Side DownWard Lumens: - -of lamp 85.81%of Luminaire  
House Side UpWard Lumens: - -of lamp 0.00%of Luminaire  
House Side DownWard Lumens: - -of lamp 14.19%of Luminaire



C90(Max): —————

C0/C180: —————

C90/C270: —————

